

Prenatal Aspirin* in Pregnancy: Providers

*low-dose, 81mg, baby aspirin



Patient is here for first prenatal visit **or** is \leq 16 weeks gestation *not* on prenatal aspirin

yes

Screen* patient for risk factors for hypertensive disease in pregnancy

Give and Review Patient Education material to patient

Dot phrase: .bmcobpna
To Document risk factors

Screen positive?

yes

Patient < 12 weeks gestation?

Patient 12-28 weeks gestation?

Prescribe prenatal aspirin today

- Educate patient to start taking prenatal aspirin nightly beginning 12 weeks
- Do *not* discontinue prior to delivery

Prescribe prenatal aspirin today

- Educate patient to start taking prenatal aspirin nightly starting today
- Do *not* discontinue prior to delivery

Link PNA prescription to "pregnancy" diagnosis on problem list

*Screening Criteria	
<i>Any</i> of the following high-risk factors:	<i>Several</i> of the following moderate-risk factors:
<ul style="list-style-type: none"> <input type="checkbox"/> History of preeclampsia <input type="checkbox"/> Multifetal gestation <input type="checkbox"/> Chronic hypertension <input type="checkbox"/> Diabetes <input type="checkbox"/> Renal disease <input type="checkbox"/> Autoimmune disease 	<ul style="list-style-type: none"> <input type="checkbox"/> Nulliparity <input type="checkbox"/> BMI >30 <input type="checkbox"/> Family history of preeclampsia <input type="checkbox"/> African American or Black <input type="checkbox"/> Public health insurance <input type="checkbox"/> Age \geq35 years <input type="checkbox"/> History of IUGR <input type="checkbox"/> Previous adverse pregnancy outcome (i.e. miscarriage) <input type="checkbox"/> >10-year pregnancy interval

